APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR		ATTORNEY DOCKET NO.
08/814,928	02/27/97	DALVI	V	42390.P4024

	EXAMINER
TM02/0621	ROBERTSON, D

	ART UNIT	PAPER NUMBER
	2187	32

LESTER J VINCENT
BLAKELY SOKOLOFF TAYLOR & ZAFMAN
SEVENTH FLOOR
12400 WILSHIRE BOULEVARD
LOS ANGELES CA 90025

DATE MAILED:
06/21/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

	Application No.	Applicant(s)
Office Action Summary		
	Examiner	Group Art Unit	

—The MAILING DATE of this communication appears on the cover sheet beneath the correspondence address—

Period for Response

A SHORTENED STATUTORY PERIOD FOR RESPONSE IS SET TO EXPIRE ____3____ MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a response be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for response specified above is less than thirty (30) days, a response within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for response is specified above, such period shall, by default, expire SIX (6) MONTHS from the mailing date of this communication .
- Failure to respond within the set or extended period for response will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).

Status

☒ Responsive to communication(s) filed on __5/21/01__.

☒ This action is **FINAL**.

☐ Since this application is in condition for allowance except for formal matters, **prosecution as to the merits is closed** in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 1 1; 453 O.G. 213.

Disposition of Claims

☒ Claim(s) __12-19, 26-29 & 31-37__ is/are pending in the application.

Of the above claim(s) __12-19 & 26-29__ is/are withdrawn from consideration.

☐ Claim(s) _____ is/are allowed.

☒ Claim(s) __31-37__ is/are rejected.

☐ Claim(s) _____ is/are objected to.

☐ Claim(s) _____ are subject to restriction or election requirement.

Application Papers

☐ See the attached Notice of Draftsperson's Patent Drawing Review, PTO-948.

☐ The proposed drawing correction, filed on _____ is ☐ approved ☐ disapproved.

☐ The drawing(s) filed on _____ is/are objected to by the Examiner.

☐ The specification is objected to by the Examiner.

☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. § 119 (a)-(d)

☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 11 9(a)-(d).

   ☐ All ☐ Some* ☐ None of the CERTIFIED copies of the priority documents have been

   ☐ received.

   ☐ received in Application No. (Series Code/Serial Number)_____.

   ☐ received in this national stage application from the International Bureau (PCT Rule 1 7.2(a)).

   *Certified copies not received:_____.

Attachment(s)

☐ Information Disclosure Statement(s), PTO-1449, Paper No(s). _____

☒ Notice of References Cited, PTO-892

☐ Notice of Draftsperson's Patent Drawing Review, PTO-948

☐ Interview Summary, PTO-413

☐ Notice of Informal Patent Application, PTO-152

☐ Other_____

Office Action Summary

This Office action is in response to the amendment filed May 21, 2001.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness

rejections set forth in this Office action:

5

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

10

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(f) or (g) prior art under 35 U.S.C. 103(a).

15

Claims 31-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over any one of

applicant's admitted prior art or, Terada *et al.* (5,561,628).

Applicant's admitted prior art teaches that it was known in the prior art to suspend flash

memory erase cycles because of the length of time required for the erase cycle (see specification,

lines 1-2). Further, applicants admit that status registers typically store data indicative of the

20

current device status, including whether or not an erase operation has been suspended (see figure

1, memory location 104, "ESS"). Applicants also admit that the stored status was output when

the device was polled or in response to a read status register command (see specification, page 2,

lines 3-7). The memory array in applicant's described prior art is understood. Applicants do not

admit that suspension of a programming operation was taught in the prior art. However, while a

25

programming operation does not take as long as an erase operation, it still takes a significant

amount of time relative to data read operation (7-8 microseconds as opposed to 85 nanoseconds,

see specification, page 1, lines 22-25). It would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains to have modified applicant's admitted prior art to include the ability to suspend programming operations to improve the overall performance of a flash memory device. Such a modification, would clearly

5   involve the modification of the status register to include at least one bit to indicate the suspension status of a programming operation (e.g., a "PSS" bit similar to the admitted "ESS" bit). Applicants do not discuss the existence in the prior art of a control circuit including a first state machine for receiving commands to access the memory array or the status register and a second state machines to execute the command received by the first state machine. However, such

10   implementation is typical, i.e., a command decoder (i.e., a first state machine) is required to determine what type of command has been received, whether it is a valid command, whether it can be executed, etc. If the command can indeed be executed, the command is typically sent to circuitry specific to the execution of the command (i.e., a second state machine). Clearly applicant's admitted prior art receives a command (i.e., "when polled" or "in response to a read

15   status register command", see specification, page 2, lines 4-7) and then executes the command (i.e., "the status signal may be sent...via a designated output pin" or "via the data input/output ('I/O') pins", *ibid*). It is inherent that applicant's admitted prior art includes the claimed first and second state machines. Further, the admitted prior art programming operation inherently would have included a "byte write" (or "byte program") instruction (claim 32) since that was the typical

20   manner of writing to flash memories. Obviously that would be the programming operation to

suspend (claim 33). It is also obvious that the status register read operation of applicant's

admitted prior art would output the contents of the status register as modified above, including

the write suspend status (claim 34). A device as described above would inherently include the

ability to input requests and output data (claim 35). Applicant's admitted prior art includes the

5   ability to be polled or receive a read status register command, it would have been obvious to

retain such abilities (claims 36 and 37).

The Terada *et al*. reference teaches, *inter alia*, flash EEPROMs (see figure 3, flash

memories 40a through 40d) with the ability to suspend erase cycles, and a status register that

outputs an erase suspend status signal when the status register is read (see column 10, lines 47-59

10   and tables 1 and 2. The memory array *per se* is understood. Terada does not teach the

suspension of a programming operation. However, while a programming operation does not take

as long as an erase operation, it still takes a significant amount of time relative to data read

operation. In a particular 8M-bit IC card it "takes one second or less to read all the addresses on

one flash memory, 9.6 seconds to write in all the addresses in one flash memory, and 25.6 seconds

15   to erase from all the addresses of one flash memory", see column 5, lines 5-11). It would have

been obvious at the time the invention was made to a person having ordinary skill in the art to

which said subject matter pertains to have modified the memories taught by Terada to include the

ability to suspend programming operations to improve the overall performance of a flash memory

device. Such a modification, would clearly involve the modification of the status register to

20   include at least one bit to indicate the suspension status of a programming operation (e.g., a

"PSS" bit similar to bit 6, "ESS", see tables 1 and 2). Terada does not discuss a control circuit

including a first state machine for receiving commands to access the memory array or the status

register and a second state machines to execute the command received by the first state machine.

However, such implementation is typical, i.e., a command decoder (i.e., a first state machine) is

5   required to determine what type of command has been received, whether it is a valid command,

whether it can be executed, etc. If the command can indeed be executed, the command is

typically sent to circuitry specific to the execution of the command (i.e., a second state machine).

Clearly Terada's flash memories receive a command (i.e., "can be read", see column 10, lines 53-

55) and then executes the command (i.e., "via a data bus for transmitting signals D0 to D15",

10   *ibid*). It is inherent that Terada includes the claimed first and second state machines. Further,

each of the Terada flash memories operates in a "byte write" (or "byte program") mode (see table

2, SR.4, claim 32). Obviously that would be the programming operation to suspend (claim 33).

It is also obvious that Terada's status register read operation would output the contents of the

status register as modified above, including the write suspend status (claim 34). A device as

15   described above would inherently include the ability to input requests and output data (claim 35).

Terada's flash memories clearly can be polled or otherwise read (claims 36 and 37).

Claims 31-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Leak *et al.*

(5,937,424) in view of Terada *et al.* (5,561,628). The Leak *et al.* reference teaches a memory

device which includes a memory array (understood), a register to store status information (see

20   figure 7B, status register 142), a control circuit including a command decoder (first state machine)

and a second state machine (see figure 7B, any of elements 190, 192, 194, 195, 196 and 198. The

reference further teaches that it is advantageous to be able to suspend both erase and write

(program) operations. The reference does not teach the particulars of the status register. The

Terada reference has been discussed above. It teaches a status register that includes an "ESS" bit

5   to indicate the erase suspend operation status. It would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter

pertains to have modeled the Leak status register after the Terada status register to include an

"ESS" bit to indicate that an erase operation has been suspended, and to further have modified the

Terada status register to include a "WSS" bit to indicate that a write operation has been

10   suspended. By the comparison to the prior art, it appears that Leak operates in byte write mode

and that the byte write operation is suspended (claims 32 and 33). In keeping with the

modification above, note that Terada teaches that if ESS = 1, an erase operation is suspended, if

ESS = 0, then no erase is suspended. The modification suggested above would, by analogy,

indicate that if WSS = 1, then a write operation is suspended and if WSS = 0, then no write

15   operation is suspended (claim 32). The Leak command decoder has an input and clearly receives

a status request signal to activate read status circuitry 198 (see figures 7A and 7B). The status

register apparently outputs the status data on line RY/BY# (see figure 7B), presumably only upon

request (claims 36 and 37).

       Applicants' arguments filed May 21, 2001 have been fully considered but they are not

20   persuasive. At the outset, the examiner is flattered that applicants have chosen to copy the 35

U.S.C. 103 rejections in their entirety. It is noted that applicants' statement at page 8 that

"applicants' admitted prior art or Terada must disclose or suggest each and every limitation of the

claim" is patently false. With respect to the remarks from page 9, line 8-page 10, line 8, the

examiner is well aware of the distinctions between the applied prior art (i.e., applicants' admitted

5   prior art and Terada *et al.*) and the claimed invention. These differences were pointed out by the

examiner (see the rejection above, page 3, lines 4-6 and page 4, line 19-page 5, line 1). Further,

applicants' admitted prior art outputs the contents of the status register (see specification, page 2,

lines 3-7), as does the Terada reference (see column 10, lines 49-55). It follows naturally that a

command to read the status register in a device with the modified status register suggested above

10   would clearly output the suspend status of the write operation as claimed. Clearly both

applicants' admitted prior art and the Terada reference include the control circuitry to read the

status register (see applicants arguments, page 10, lines 9-20). From page 10, line 21 to page 12,

line 3 applicants argue the issue of state machines. Such arguments are clearly specious. First,

applicants have not described the claimed state machine other than to indicate that they are state

15   machines. Further, applicants have also admitted that the state machines are merely control logic

(see specification, page 11, lines 21-22). Applicants' premise that "inherency may not be relied

upon to incorporate 'missing' structure" (see arguments, page 11, line 8) is flawed. In fact, the

very documents relied upon for support, i.e, M.P.E.P. § 2112, and more particularly *In re*

Robertson, clearly indicate otherwise. Applicants' statement at page 11, lines 15-18 is also not

20   agreed with. The rejection above suggests the modification of the contents of the status register.

Therefore, even unmodified circuitry of the applied art would, upon outputting the contents of the

modified status register, also output the status signal indicating the suspend status of a write

operation. Applicants' assertions at page 12, line 34-page 13, line 1 is also false. See , for

example, *In re Preda*, 401 F.2d 825, 159 USPQ 342 (CCPA 1968), *In re Shepard*, 319 F.2d 194,

5   138 USPQ 148 (CCPA 1963), *In re Sovish*, 769 F.2d 738, 226 USPQ 771 (Fed. Cir. 1985), *In re*

Jacoby, 309 F.2d 513, 135 USPQ 317 (CCPA 1962), *In re Bozek*, 416 F.2d 1385, 163 USPQ

545 (CCPA 1969), *In re Bode*, 550 F.2d 656, 193 USPQ 12 (CCPA 1977), etc. As to page 13,

lines 2-3, motivation to combine Leak with Terada has been given in the rejection (see above

rejection, page 6, lines 5-9). The comments at page 13, lines 18-20 do not even deserve to a

10   response. As to the alleged impermissible hindsight, the examiner feels that the above rejections

set forth an unrebutted *prima facie* case of obviousness. Should applicants feel otherwise, it may

be appropriate at this point to submit the question to a higher authority.

The prior art made of record and not relied upon is considered pertinent to applicants'

arguments. The cited references make it clear that, as used in the art, the "state machine"

15   terminology carries no special significance whatsoever, and further shows that the applied art, as

modified by the rationale discussed above, would inherently be composed of state machines.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time

policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

20   MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the mailing date

of this final action.

Any response to this final action should be mailed to:

> **Box AF**
> Commissioner of Patents and Trademarks
> Washington, D.C. 20231

or faxed to:

> (703) 308-9051, (for formal communications; please mark "EXPEDITED PROCEDURE")

Or:

> (703) 305-9731 (for informal or draft communications, please label "PROPOSED" or "DRAFT")

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington. VA., Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application should be directed to the technology center receptionist whose telephone number is **(703) 305-3900.**

Direct any inquiries concerning drawing review to the Drawing Review Branch (703) 305-8404.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David L. Robertson whose telephone number is (703) 305-3825.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Do Yoo, can be reached at 308-4908. **The fax numbers for this Technology Center are (703) 308-6306 or (703) 872-9314.**

5   Communications which are not application specific may also be posted on e-mail at *David.Robertson@USPTO.gov.*

10

DAVID L. ROBERTSON
PRIMARY EXAMINER
ART UNIT 2187

15   C:\DOCS\WPWIN61\01ACT\814928F6.EXE
           June 18, 2001